

Model 4201M - Companion, Medium Back Single Seat, with Arms

Dimensions

Seat Height18Depth27Seat Width21Width26Overall Height32.5Arm Height27

COM Yardage Based on pattern repeats less than 5 in. x 5 in.

Unit 2 Seat Yardage 1 Back Yardage 1

Options:

Wall saving Standard
Connected Yes
Cal 133 Yes

Arm Styles Black polyurethane or Wood
Seat Pitch 5° - standard, 7° or 3° are optional

Frame construction Constructed of high carbon content cold rolled seam welded flash controlled steel tubing free of crimping

on all bends. End frames are 1 3/4 in. O.D. 14 Gauge cold rolled steel tube. 1 1/2 in. stretcher bars are welded to the frame to provide seat support. All connections are metal to metal. All welds are ground

smooth.

Seat Upholstery material is applied over hi- resiliency molded foam which uses a registered process to displace

25% of the existing non-renewable petroleum with a sustainable plant based substitute. A welded inner seat armature is encapsulated inside the foam. The welded inner seat armature is constructed from 11 GA flat steel and ¾" square 16 GA steel. Suspension is supplied by elastic webbing straps clipped into the welded inner seat armature frame. This assembly optimizes comfort, dimensional stability, and compressive and tensile strength. Seat covers are hook and loop locked and removable in the field. The

seat is bolted to the chair frame with four 1/4-20 fasteners.

Back Upholstery material is applied over hi- resiliency molded foam which uses a registered process to displace

25% of the existing non-renewable petroleum with a sustainable plant based substitute. A welded inner back armature is encapsulated inside the foam. The welded inner back armature is constructed from 5/8" round 16 GA steel and 1" square 16 GA steel. The foam is contoured to include a lumbar support. Back covers are hook and loop locked and removable in the field. The inner back armature slides over posts on

the welded chair frame, and is fastened with two 1/4-20 bolts.

Foam Closed cell molded foam is formulated displacing 25% of the existing non-renewable petroleum material

with a sustainable plant based substitute. The foam performs as regular based cut foam and provides a 3.0

to 3.2 PCF density with no changes to the physical properties, comfort, and longevity of the foam.

Flame retardancy Foam provided is compounded to meet specifications of the Federal Motor Vehicle Standard MVSS302 and

California Bulletin No. 117 (TB117-2013).

Arms A wood or molded self-skinned urethane arm is available. The arm is molded over a 1/8 in. thick steel

plate which is attached to the seat frame using mechanical connections.

Glides Floor contact points are injection molded polymer black glides at the front and back. The 2 front glides are

friction fit, the backs glides are threaded (1/4-20 levellers).

Load Test Exceeds BIFMA Seating Durability Test to 500 lbs